
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




62.55


The



Monadnock Nursery



Keene New Hampshire



To Our Customers

Shipping Season. The best time for moving most plants, trees, etc., is in the spring from April to June and again in the fall from the middle of September to the middle of November.

Shipping instructions should be given, otherwise we will use our best judgment, but assume no risk. Transportation charges are to be paid by the purchaser. If by parcel post add 10% to the price of the plants.

Guarantee. We give no guarantee, either express or implied that the stock will grow. Having no control over after treatment nor weather, our responsibility ends when stock leaves the nursery. We take special care to see that our stock is well grown, true to name and leaves the nursery in the best condition. In case of any mistake on our part, we shall, if notified immediately, be glad to rectify it.

Terms. Our terms are cash with order, or satisfactory references from unknown customers. Accounts are due the first of each month unless by special arrangement.

Six plants of the same kind, color and variety will be sold at the dozen rate, fifty at the hundred rate.

Location. We are located about two miles from Central Square, Keene, N. H., on Route No. 9, from Keene to Brattleboro, Vt.

Landscape Department. We are prepared to undertake a limited amount of landscape work, and will be pleased to consult with prospective customers.

Hardy Perennials

ACHILLEA (Yarrow)	Ea.	Per doz.
ptarmica, The Pearl-pure white, double. Fine for cutting. Summer. 2 ft		
millefolium roseum-bright rose pink. Blossoms	••	••••
throughout summer. 2 fttomentosa—golden yellow. Spring. 9 in	• •	• • • •
ACONITUM (Monkshood)		
bi-color—dark violet blue and whitefischeri—dense spikes of dark blue. Autumn. 3 ft. napellus, Spark's variety, dark violet blue. August.	.35 .35	3.50 3.50
2½ ftuncinatum (Climbing Monkshood) dark purple.	.35	3.50
June-Sept. 3-5 ft wilsoni—spikes of very large porcelain-blue flow-	.35	3.50
ers. late. 3 ft	.35	3.50
ALTHEA (Hollyhock)		
rosea—separate and mixed colors. 5 ft	••	
ALYSSUM		
argenteum—bright yellow. Spring. 15 inidaeum—yellow flowers, gray green foliage. 6 in rostratum—pale yellow. Shrubbery growth. June.	.30 .30	3.00 3.00
1 ftsaxatile compactum—bright yellow, dwarf, spring	• •	• • • •
flowering. 9 inserpyllifolium—pale yellow, grayish foliage. Spring 4-5 in		
ANCHUSA	• • • • • • • • • • • • • • • • • • • •	••••
italica Lissadell—sprays of extra large gentian blue flowers. 5 ft.		
ANEMONE		
japonica—pale pink. Sept. 3 ft	.30 .30	2.50 3.00
ANTHEMIS (Marguerite)		
tinctoria—bright yellow flowers, good for cutting. June-August. 2 ft		
—kelwayi, lemon yellow. June-Aug. 2 ft	• •	
——alba-white. June-Aug. 2 ft	• •	••••
AQUILEGIA (Columbine) alpina—short spurred, blue. May-June. 9 in	.30	2.50
Long spurred hybrids, mixed colors. May-June. 2 ft. Mrs. Scott Elliot's Hybrids—very long spurs, large	.30	2.50
flowers, mixed colorscanadensis—reddish orange, easy to raise. May	.30	2.50
1-2 ft.	••	• • • •

	_	
ARABIS (Rockeress)	Ea.	Per doz.
alpina—pure white flowers. April-May, 6-8 in		
alpina rosea—pink form of above	.35	3.00
alpina flore-pleno—double white flowers. 9-12 in	.50	3.00
ARENARIA (Sandwort)		
Montana—white. Spreading. Early summer. 4 in. (See statice)	••	• • • •
ARTEMESIA		
lactiflora—sprays of small white flowers. August and September. 4 ft		
ASCLEPIAS (Butterflyweed)		
tuberosa—very attractive brilliant orange flowers. August. 2 ft.		
ASTER		
Mauve Cushion—low growing, covered with mauve		
blossoms. Late Oct	.30	3.00
Michaelmas Daisy. Climax—blue. Sept	• •	
novae-angliae roseus—large rose colored double		
flowers. SeptOct. 4 ft		
St. Egwin—pink. Sept. 2 ft	• •	
ASTILBE		
Gloria—shell pink. July. 2 ft japonica—Peach blossom—pink. July. 2½ ft	.35 .40	3.50 4.00
AUBRIETA (Wallcress)		
Hybrids—purple, rose. Creeping rock plant. Early Spring. 6 in	.25	2.50
BAPTISIA (Wild-indigo)		
australis-sprays of dark blue flowers with attrac-		
tive foliage. June. 2-3 ft	• •	• • • •
BELLIS (English Daisy)		
perennis—deep crimson to rose and white. Spring.	15	1.50
6 in	10	1.50
BOLTONIA (False-starwort)		
latisquama—mauve-pink, easy to raise, SeptOct . 4-5 ft		
CAMPANULA (Bellflower)		
· · · · · · · · · · · · · · · · · · ·		
calycanthema (Cup and Saucer) dark blue, light blue, rose, white, mixed. June. 30 in		
carpatica (Harebell) violet blue. June-Oct. 8-12 in. —alba—fine white variety of the above	• •	
turbinata—large purple flowers. 9 in		
celtidifolia Edw. Molyneux—immense heads of light blue flowers. New English variety from		
imported seed. 3 ft		

CAMPANULA (Continued)	Ea.	Per doz.
glomerata—violet purple. June. 1½-2 ftgrandis—large blue saucer shaped flowers. English	••	••••
strain, 3 ftlatifolia macrantha—large deep violet flowers.	.35	3. 50
English strain. June-July. 3 ft	••	• • • •
medium (Canterbury-bells) June. 2 ft persicifolia—violet blue. June-July. 2-3 ft	• •	• • • •
-alba-white flower, same as above	• •	
pusilla—light violet blue. 3 in	.35	3.50
pyramidalis—large blue flowers. July-Aug. 3-4 ft.		• • • •
rotundifolia—clear blue flowers. June-Aug. 1 ft	• •	• • • •
CENTAUREA (Bachelors Button)		
montana—big bluish violet flowers. Good for cutting. July-Aug. 20 in		
CEPHALARIA		
tatarica—pale yellow scabiosa like flowers. July.		
5 ft	.30	3.50
CERASTIUM (Snow-in-summer)		
tomentosum—small white flowers, grey-green foliage. Good rock plant and ground cover. May-June. 3-6 in	••	••••
CHRYSANTHEMUM		
coreanum—large, single, pinkish-white flowers.		
Good for cutting. SeptOct. 2 ft	• •	
Early Bronze. Bronze. Early, Oct. 2-2½ ft Maximum (Shasta Daisy) King Edward VII	.30	2.50
White. July. 2½ ft		
Mrs. Lothian Bell. White. 2½ ft	••	• • • •
CHEIRANTHUS (Siberian Wallflower)		
allioni—bright orange, fragrant flowers. Good rock garden plant. May-June. 1-2 ft	••	••••
CIMICIFUGA		
racemosa—4 to 6 ft. Spikes of white flowers. For partial shade. July-August. 4-6 ft		• • • •
CLEMATIS		
davidiana—tubular flowers of soft blue. July-August. 2 ft	.40	4.00
CONVALLARIA (Lily-of-the-valley)		
majalis—very fragrant, 9 in. May-June	••	• • • •
COREOPSIS		
lanceolata—large yellow flowers. June-July. 2-3 ft.	• •	••••

DIANTHUS (Pinks)	Ea.	Per doz.
barbatus (Sweet William) Newport pink, Scarlet Beauty and mixed. June-July. 10-20 in caesius-fragrant rose flowers. May-July. 3-6 in	.15	1.50
caryophyllus (hardy carnation) crimson	• •	• • • •
July-Aug. 6 in	.50	5.00
grant suffastigiatus—deep bright rose. July 1-2 ftsweet wivelsfield. Pink, red and white. 12 in	••	• • • •
DELPHINIUM (Larkspur)		
English Hybrids—beautiful mixed colors, many double. Julybelladonna—clear sky blue. July. 4-5 ft	.35	3.50
grandiflorum (Chinese Larkspur) Copenhagen blue. Spreading branches. July. 2 ft grandiflorum—Blue butterfly. Light blue. 1½ ft	••	
	• •	• • • •
DICENTRA		
eximia (Fringed Bleeding Heart) rose pink. May- frost. 1 ft		
spectabilis (Bleeding Heart) rose colored flowers. Good for cutting. May. 2 ft	.40	4.00
DICTAMNUS (Gasplant)		
fraxinella—reddish purple flowers. May-June. 2-3	.35	3.50
ft. fraxinella alba, white flowers. May-June. 2-3 ft	.35	3.50
DIGITALIS (Foxglove)		
The Shirley—large flowers, white to rose with mar-		
oon and crimson spots	••	••••
DORONICUM (Leopards bane) magnificum—bright yellow. May. 1½-2 ft	.35	3.50
	.00	3.50
ECHINACEA (Purple Coneflower or Rudbeckia) purpurea-rose purple flowers, bronze cone. July-		
Aug. 2-3 ft.	.25	2.50
ERIGERON (Flea Bane)		
caucasica. Pale violet. July. 12 in		
ERINUS		
alpinus—pale purple. 3 in	.25	2.50
ERYNGIUM (Seaholly)		
amethystinum—beautiful steel blue. July-Sept. 2 ft.	• •	
ERYSIMUM (Rocky Blister Cress)		
pulchellum—yellow. Spring. 6-12 in	• •	• • • •

PUDAMODUIN	Ea.	Per doz.
EUPATORIUM collestinum—lavender blue. Ageratum like flowers.		
August. 1½-2 ft	••	• • • •
GAILLARDIA (Blanketflower)		
grandiflora—large daisy-like flowers, crimson with yellow band. June-July. 2 ft		
portola hybrids. Red, tipped yellow. 2½ ft	• •	
GEUM		
Lady Stratheden. Golden yellow. June. 18 in	.30	3.00
GYPSOPHILA (Babys-Breath)		
paniculata—misty sprays of small white flowers.		
July. 2-3 ftpaniculata, Bristol Fairy-flowers larger than the	• •	• • • •
above and double. June-Oct. 2-3 ftrepens—trailing. Fine for rock gardens. June and	.50	5.00
July. 6 in.	••	••••
HELENIUM (Sneezeweed)		
autumnale—golden yellow. Aug. and Sept. 4-6 ft. Riverton Beauty. Lemon yellow. Sept. 5 ft	• •	
Riverton Gem. Wall flower, red and yellow. Sept.		
5 ft	••	••••
HELIANTHEMUM (Sun Rose)		
mutabile—evergreen foliage with white and salmon pink flowers, like small roses. June and July. 8-10 in.		
HEMEROCALLIS (Day Lily)		
dumortieri—yellow. June-July. 18 in		
HESPERIS (Sweet Rocket)		
matronalis—sweet scented, purple or white flowers.		
June and July. 3-4 ft	• •	••••
HEUCHERA (Coralbells)		
Pluie de Feu—orange scarlet. June. 18 in Rosa Munde—coral pink. June. 18 in	.35 .35	3.50 3.50
sanguinea—sprays of pink flowers. June and July.		
1 ftsplendens—coral red flowers like the above	.35 .35	3.50 3.50
HIBISCUS (Marshmallow)		
moscheutos—pink, rose or white. July-Aug. 3-5 ft.		
HOLLYHOCK—See Althea		
HOSTA (Plantain Lily)		
ovata—lilac flowers. June and July. 1-2 ft		• • • •
subcordata grandiflora—white. AugSept. 2½-3 ft.	.35	3.50
variegata—with variegated leaves	••	• • • •

HYPERICUM (St. John's Wort)	Ea.	Per doz.
moserianum—golden yellow. 2 ft	.40	4.00
	.10	1.00
IBERIS (Candytuft)		
gibraltarica—large white flowers tinged with pur-		
ple. May and June. 1 ftsempervirens—dense evergreen foliage with white	• •	• • • •
blossoms. Late May and June. 1 ft		
sempervirens. Snowflake—an early flowering vari-		
ets of the above	• •	• • • •
INCARVILLEA (Hardy Gloxinia)		
delavayi-rose coloured Gloxinia shaped flowers,		
1½-2 ft	.35	3.50
IRIS Germanica (German Iris)		
cristata—pale blue, early flowering variety. 8 in	.30	3.00
Ambassadeur—S. reddish purple; F. rosy lilac	.40	
Ambassadeur—S. reddish purple F. rosy lilac	.40	
Aurea—S. and F. bright yellow. 2 ft	.25	
Cluny—S. light lavender; F. darker lavender Dalila—S. buff pink; F. carmine red	.35 .25	
Florentina—white. 2 ft	.25	
Her Majesty—S. and F. rose mauve. 2 ft	.25	
Jeanne d'Arc—S. and F. white, lilac pencilings, 2 ft.	.25	
Jacquesiana—S. copper red; F. maroon Lent A. Williamson—S. lavender blue; F. pansy	.25	• • • •
violet, large flower. 3½ ft	.35	
Lohengrin—S. and F. lavender mauve. 2½ ft	.25	
Lovely—S. pale yellow; F. deep purple edged. Yellow Monsignor—S. violet; F. purple. 2 ft	.25	
Pallida dalmatica—S. and F. soft lavender. 3-4 ft.	.35 .25	• • • •
Princess Beatrice—pale lavender. Selected form of	.20	• • • •
pallida dalmatica	.25	
Prosper langier—S. bronze red; F. ruby red	.25	
Prospero—S. pale lavender, yellow base; F. red purple. 4 ft.	.35	
Queen of the May—S. and F. rose lilac. 2 ft	.25	
Rhein nixe—S. white; F. purple, edged white. 3 ft.	.25	
Seminole—S. and F. bright red purple, orange beard Shekinah—S. and F. clear yellow. 2½ ft	.25 .30	
Souvenir de Mme. Gandichan—S. deep purple; F.	.50	
darker purple	.50	
Kaempferi (Japanese Iris)		
Gold bound—double white—yellow banded center	.35	
Mahogany—double red, shaded darker	.35	
Old rose	.35	
Pyramid—double violet purple, white vein center of	25	
petalspseudacorus (yellow flag) bright yellow. July. 3-4ft.	.35 .30	2.50
Pumila—purple—early dwarf	.30	2.50
sibirica—Siberian. Deep blue flowers. Large		
clumpssibirica. Emperor—deep violet blue	• •	
sisting. Emperor—deep violet blue	• •	
KNIPHOFIA (Red Hot Pokerplant)		
uvaria—Spikes of orange flowers. Late summer.		
2-3 ft		

TAVENDII A (Firm I 1 1 1 1 1 1 1 1 1	Ea.	Per doz.
LAVENDULA (True Lavender)		
officinalis—aromatic leaves. July-Aug. 1-2 ft	.30	2.50
TTATDIC (Years and sether)		
LIATRIS (Kansas gayfeather)		
pyanostachya—spikes of rose purple flowers. August. 3-5 ft.		
ust. 3-5 ft	••	• • • •
LILY OF THE VALLEY—See Convallaria		
LIMONIUM (Statice)		
latifolia (sea lavender—heads of small lavender		
flowers. July-Aug. 1-1½ ft	.30	3.00
7737 A 37 A (7) 3.4 A		
LINARIA—(Toadflax)		
alpina—pink or purple flowers—creeping plant		
for rock gardens	• •	• • • •
LILIUM		
	0.5	2.50
auratum—white with gold band. July-Sept. 2-8 ft. candidum (Madonna Lily) white, sweet scented.	.35	3.50
July	.35	3.50
regale (Regal lily) large sweet scented. June-July.		
2-4 ft	.35	3.50
speciosum rubrum—rosy white, spotted with crim- son. AugSept	.40	4.00
tigrinum (Tiger Lily) orange red flowers. August.		
2-5 ft	.25	2.50
I INIIM (Ellew)		
LINUM (Flax)		
perenne—porcelain blue flowers. June. 2 ft	• •	• • • •
LUPINUS (Lupin)		
` + /		
polyphyllus—alba-white. June. 2 ft	• •	
—rose—June		
Moerheimi-mixed colors. June. 3 ft		
lutea—yellow	• •	• • • •
TAGINIC (Commission)		
LYCHNIS (Campion)		
arkwrightii—large lowered hybrid. Scarlet, salmon pink, cerise. July-Aug. 1-2 ft		
chalcedonica (Maltese Cross) scarlet flowers. June-	• •	• • • •
July. 2-3 ft.		
——alba-white form of the above		
viscaria splendens—deep rose. June. 1-2 ft	• •	• • • •
walken (Rose Campion)—rosy crimson flowers. Grey leaves. July. 2-3 ft		
LYTHRUM (Loosestrife)		
roseum—rose-purple spikes. July. 2-3 ft		

MALVA (Mallow)	Ea.	Per doz.
moschata—tall branching plant with pink flowers. June-July. 2 ft.		••••
MENTHA SPICATA (Spearmint)		
MERTENSIA (Virginia cowslip)		
virginica—pale blue. May. 1-1½ ft	• •	
MONARDA—Beebalm		
lavender—fragrant foliage. July. 3 ftdidyma—scarlet flowers. July. 3 ft	• •	• • • •
MYOSOTIS (Forget-me-not)		
alpestris—blue. June	• •	• • • •
NEPETA (Catnip)		
mussini—violet flowers. May-Sept. 1-2 ft	• •	****
OENOTHERA—(Evening Primrose)		
glauca fraseri—small plant with yellow flowers. June-July. 1 ft. missouriensis—large yellow flowers. July-Aug. 1 ft.		
missouriensis—large yellow flowers. July-Aug. 1 ft.	• •	• • • •
PAEONIA (Peony)		
Clare Dubois—red rose Karl Rosenfield—deep red	1.50 1.50	
Marie Lemoine—whiteunnamed variety's in pink, white, red	1.25 .35	3.50
PAPAVER (Poppy)		
alpinum—delicate dwarf plants in white, orange,		
salmon. June. 6 in	.30	3.00
Blossoms all summer. 1 ft orientale (Orental Poppy) scarlet or salmon pink.	• •	
June. 2-3 ft	.25	2.50
Perry's white—white, maroon blotch at base of petals	.25	2.50
PENTSTEMON (Beardtongue)		
barbatus torreyi—spikes of coral red. Fine for		
cutting. July. 2-3 ft. glaber—skyblue. June-July	.35	3.50
pubescens—pale lavender. 1½ ft	• •	
PHLOX		
amoena—light rose. April-May. 4-6 in	• •	
paniculata Antonin Mercier—pale violet. Summer 2-3 ft.		

	Ea.	Per doz.
PHLOX (Continued)		
Africa-bright carmine red, deeper eyeB. Comte-Bright crimson. Tall, late	.25	2.50
——Dr. Koenigshofer—bright orange-scarlet	.35	3.50
——Miss Lingard—white, early ——Miss Verboom—rose pink, early	.35	3.50
——Miss Verboom—rose pink, early ——Mrs. Jenkins—white, summer		
Prof. Went—rich crimson—dwarf	.35	3.50
subulata alba (Moss Pink) white good ground	• •	
cover. May. 4 in	.25	2.50
——rose—rose pink variety of the above ——Vivid—bright pink	.25	2.50
PHYSOSTEGIA (False-dragonhead)		
virginiana—compact spikes of deep rose. July-Sept.		
2-3 ft	••	
—alba—pure white variety of the above	• •	• • • •
PLATYCODON (Balloon Flower)		
grandiflorum—large violet blue flowers. July-Sept. 1-2 ft		
——album—white. 1 ft	••	••••
POLEMONIUM (Jacobs Ladder)		
album—white. June. 1-2 ft		
caeruleum—blue. June. 1-2 ft reptans—blue. May-June. 1 ft	• •	• • • •
POTENTILLA (Cinquefoil)		
Hybrids—scarlet, orange, yellow. June-July. 1-2 ft.		
PRIMULA (English Primrose)		
cashmeriana—violet blue. June. 1 ft	.35	3.50
vulgaris—light yellow. May-June. 6-8 in	• •	• • • •
PYRETHRUM (Painted Daisy)		
white, pink, rose. June. 1-2 ft	• •	
	• •	• • • •
RANUNCULUS (Buttercup) acris—yellow. May-June. 12-18 in		
	• •	••••
RUDBECKIA (Golden Glow)		
laciniata—large yellow flowers. Aug. 5-6 ft purpurea—see Echinacea	••	• • • •
SALVIA (Sage)		
azurea grandiflora—racemes of azure blue flowers.		
Sept. 3-4 ftnemorosa—spikes of violet flowers. July-Aug. 18	• •	••••
insclarea—lavender blue, large wooly foliage. July 2-3	.35	3.50
ft		

SAPONARIA (Soapwort)	Ea.	Per doz.
ocymoides—pink. Good rock garden, trailing plant. May-June		••••
SAXIFRAGA		
crassifolia—rose pink	.35	3.50
SCABIOSA		
caucasica—lavender blue. Good for cutting		
SEDUM (Stone Crop)		
acre—gold-yellow. June. 2-4 in		
album—white. July		
hispanicum—grey green foliage		
lydium—white. Foliage green, tipped with red sarmentosum—yellow flowers, yellowish-green	• •	
leaves	• • •	
sexangulare—yellow flowersspectabile—rose. August. 18 in	• •	• • • •
stoloniferum coccineum—pink. July	• •	
Stolomician coocincam pina, bary	• •	••••
SEMPERVIVUM (Houseleek)		
arachnoideum (Spiderweb Houseleek) bright red		
cobwebbed rosettes. 6 in		
tectorum (Hen and chickens)—forms dense rosettes		
of thick leaves	• •	• • • •
SHASTA DAISY—see Chrysanthemum Maximum	L	
sidalcea—spikes of small mallow like, rose pink flowers. July. 2-2½ ft		
SILENE		
orientalis—heads of deep rose flowers. Biennial. 2		
ftschafta—open heads of bright pink flowers. July-	••	
Aug. 5-8 in	• •	• • • •
STATICE		
armeria—round heads of pale pink flowers. 18-24 in.		
STOKESIA (Cornflower Aster)		
laevis—lavender. July. 18 in		
SWEET WILLIAM—see Dianthus barbatus		
THALICTRUM (Meadow Rue)		
dipterocarpum—rose-lilac. Good for cutting. Aug		
Sept. 4 ft	.35	3.50
4 ft	.30	3.00
glaucum—yellow. July. 3-4 ft	.30	3.00
THERMOPSIS		
caroliniana—very long spikes, bright yellow. June-		
July. 4 ft.	• •	

THYMUS	Ea.	Per doz.
lanuginosus (wooly thyme) forms a mat of grey green leaves		
TRADESCANTIA (Spider Lily)		
virginiana—showy, purple-blue flowers. June-July. 2-3 ft.	••	
TRITOMA—see Kniphofia		
TROLLIUS (Globeflower)		
asiaticus—bright orange. June. 1-2 fteuropeaus—lemon yellow, globe like flowers. June. 1-2 ft	.35 .35	3.50 3.50
TUNICA		
saxifraga—profuse blooming plant with small white flowers. June-July. 9 in		
VALERIANA (Garden heliotrope)		
officinalis—pale flesh colored heads of fragrant flowers. July. 3-4 ft		
VERBASCUM (Mullein)		
phoeniceum—spikes of rose, mauve, purple. June 2 ft.	.25	2.50
VERONICA (Speedwell)		
incana—grey foliage, spikes of deep violet blue flowers. July. 1 ft repens—creeping plant, light blue flowers. May-	••	• • • •
Junerupestris rosea—pink. May. 3-4 inspicata dwarf-plant with spikes of violet-blue.	.30	3.00
July. 1-2 ftspicata—violet-blue. July. 3 fttrehani—deep blue. May, low growing		
trehani—deep blue. May, low growinglongifolia subsessilis—violet-blue. July-Aug. 2-3 ft.	• •	
VINCA—see Broadleaved Evergreens		
VIOLA		
Apricot—blooms all summer		
cornuta—Rock Garden plant in mixed colors G. Wermig—violet-purple with long stems		
Jersey Gem—deep violet-purple	• • •	
Jersey Gem—White Jersey Gem yellow	.35	3.50
odorata (sweet violet)pedata (Bird's foot violet), light violet, a native	•••	
variety		• • • •
YUCCA		
filamentosa—pyramids of white bell-shaped flowers. July. 5 ft.	.50	••••

Deciduous Shrubs and Trees

ARALIA	Ea.	Doz.	Per 100
pentaphylla—ornamental shrub with arching branches. 3-4 ft.	.60		
AZALEA			
calendulacea (Flame Azalea) yellow to orange. 18-24 in	• •	2.50 5.00 2.50	
BERBERIS (Barberry)			
thunbergi (Japanese Barberry) 3-8 ft. April- May, Inconspicuous yellow flowers with red fruit in fall.			
9-12 in. 12-18 in. 18-24 in. thunbergi nana—dwarf barberry. 9-12 in	.20 .25 .30 .35	\$1.50 2.00 3.00 3.50	\$10.00 12.00 20.00
CLETHRA (Summer sweet)			
alnifolia. 3-15 ft. July-August. Creamy white, fragrant flowers. 9-12 in	.50		
CORNUS (Dogwood)			
stolonifera (Red Osier Dogwood) 6-8 ft. May- June. White flowers. Red bark with white fruit. 18-24 in	.35	3.50	
COTONEASTER			
horizontalis—6 in. spread, 4 in. potsdivaricata—9-12 in., 3 in. pots	.50 .40	5.00 4.00	
CRATAEGUS			
oxycantha splendens (Paul's Scarlet Thorn) 15 ft. double rose coloured flowers. June. 4-5 ft	2.00	• • • •	
CYDONIA japonica (Japanese Quince) 3-6 ft. May. Bright red flowers. 2-3 ft		• • • •	••••
EUONYMUS (Winged Euonymous) alatus—leaves scarlet in fall. Winged bark. 2-3 ft.	1.00	• • • •	
FORSYTHIA (Golden Bells) intermedia spectabilis. 6-10 ft. May. Bright yellow flowers. 2-3 ft. 3-4 ft.	.50 .75	••••	

HYDRANGEA aborescens grandiflora. 4-8 ft. June–July. Large heads of white flowers. 12-18 in
heads of white flowers. 12-18 in
paniculata grandiflora. White flowers, turning to red in fall. 18-24 in
ROLKWITZIA amabilis (Beauty Bush) 4-6 ft. June. Covered with pink flowers. 18-24 in
amabilis (Beauty Bush) 4-6 ft. June. Covered with pink flowers. 18-24 in
with pink flowers. 18-24 in
LILAC—see Syringa LONICERA (Honeysuckle) morrowi. 5-6 ft. May-June. Very fragrant cream white flowers. 18-24 in
morrowi. 5-6 ft. May-June. Very fragrant cream white flowers. 18-24 in
white flowers. 18-24 in
2-3 ft
tatarica—pale pink or white flowers. 18-24 in40 4.00 LIGUSTRUM (Privet) amurense (Amur Privet) 4-8 ft. June-July. Hardy
LIGUSTRUM (Privet) amurense (Amur Privet) 4-8 ft. June-July. Hardy 18-24 in. 1.50 9.00 2-3 ft. 2.25 10.00 3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread 2.5 24 in. spread 5.50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
amurense (Amur Privet) 4-8 ft. June-July. Hardy 18-24 in. 1.50 9.00 2-3 ft. 2.25 10.00 3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread 25 24 in. spread 50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
Hardy 18-24 in. 1.50 9.00 2-3 ft. 2.25 10.00 3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread .25 24 in. spread .50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
18-24 in. 1.50 9.00 2-3 ft. 2.25 10.00 3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread 25 24 in. spread .50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
2-3 ft. 2.25 10.00 3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread 25 24 in. spread .50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
3-4 ft. 2.75 14.00 ibolium. 4-6 ft. June-July. Hardy. 12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread 25 24 in. spread 50 MALUS (Flowering Crab) atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft. 1.50 floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft. 1.50
ibolium. 4-6 ft. June-July. Hardy
12-18 in. 1.25 7.00 18-24 in. 1.50 9.00 lodense—18 in. spread
lodense—18 in. spread
24 in. spread
atrosanguinea. 15-20 ft. Brilliant carmine flowers. 3-4 ft
ers. 3-4 ft
floribunda (Japanese Flowering Crab) 15-30 ft. Pink buds, white flowers. 3-4 ft 1.50
Pink buds, white flowers. 3-4 ft 1.50
halliana parkmani (parkman's crab) double rose pink flowers. 3-4 ft 1.50
ioensis plena (Bechtel Crab) double pale pink. 4-5 ft
PHILADELPHUS (Syringa or Mockorange)
coronaria (Sweet Mockorange) 10 ft. May-June.
Fragrant, white flowers. 3-4 ft
ers. 2-3 ft
PRIVET—see Ligustrum
PRUNUS
glandulosa (Flowering Almond) pink. 18-24 in50
pissardi—12-15 ft. Dark red foliage. 4-5 ft 1.00
3-4 ft

SPIREA	Ea.	Doz.	Per 100
vanhouttei. 4-6 ft. May-June. White. 2-3 ft Anthony Waterer. 2-4 ft. June-July. Low	.50	5.40	
growing plant with deep rose flowers prunifolia (Bridal Wreath) small double white	.60	6.00	
flowers. 2-3 ft	.55	5.50	• • • •
houttei, but flowering later. 18-24 in	.75	7.50	
SYRINGA (Lilae)			
vulgaris (Common Lilac) 6-20 ft. May. Purple			
12-18 in	.30		
18-24 in	.40		• • • •
2-3 ft	.50	• • • •	
vulgaris alba (Common White Lilac) 8-30 ft. May. 12-18 in.	.50	• • • •	
SYMPHORICARPOS (Snowberry)			
racemosus (Common snowberry) 3-5 ft. June-			
September. Small pink flowers in June. White berries in fall. 2-3 ft	.50		
VIBURNUM			
americanum (Highbush cranberry) to 12 ft.			
White flowers. June, red fruit in fall. 2-3 ft.			
carlesi (Fragrant Viburnum) 4-5 ft. April-May			
Pale pink, waxy flowers. New species.			
12-18 in			• • • •
opulus sterilis (Common Snowball) 5-12 ft. Jun			
2-3 ft	.60	• • • •	
opulus nanus. 1-2 ft. Dwarf shrub for rockeri	es		
or low hedges. 9-12 in. spread	.75		
12-18 in. spread	1.00		
18-24 in. spread	1.50		
plicatum, 2-3 ft.	.75		

Roses

FRAU KARL DRUSCHKI	Ea.	Per doz.
—white. Hybrid perpetual	\$.75	\$7.50
DUCHESS OF WELLINGTON		
—yellow shaded crimson at base. Fragrant. Hybrid		
Tea	.75	7.50
GRUSS AN TEPLITZ		
—deep red. Blossoms continually until fall. H. T	.75	7.50
JONKHEER J. L. MOCK		
—carmine pink. H. T	.75	7.50
MME. CAROLINE TESTOUT		
—pink, darker center. Fragrant. H. T	.75	7.50
RED RADIANCE		
-rose red H. T.	.75	7.50
CLIMBING ROSES		
AVIATEUR BLERIOT		
—pale yellow, double. Buds darker	.75	7.50
CLIMBING AMERICAN BEAUTY	.10	1.50
—rose red	.75	7.50
CRIMSON RAMBLER		1.00
—clusters of crimson flowers	.50	5.00
DOROTHY PERKINS		5.55
—masses of double pink flowers	.50	5.00
GARDENIA		
—yellow buds, cream coloured flowers	.50	5.00
PAUL'S SCARLET		
—small clusters of scarlet flowers	.50	5.00
WHITE RAMBLER		
—double pure white flowers	.50	5.00
ROSA ECAE		
-seedlings. Single yellow flowers-similar to		
hugonis. 18-24 in	1.00	• • • •
ROSA		
hugonis—to 6 ft. Single yellow flowers. Late May- June. 18-24 in	1.00	
ROSA RUGOSA		
-Blanc Double de Coubert-double pure white	.75	
F. J. Grootendorst—rich red flowers. Blossoms all summer	.75	
Pink Grootendorst—light pink flowers	.75	• • • •

Vines

Ea.	Doz.	Per 100
ACTINIDIA arguta—small white flowers, strong and rapid		
growth		
AKEBIA		
quinata—small dark red flowers, graceful climber.	50	
AMPELOPSIS		
tricuspidata—(Boston Ivy) strong vine with dark		
blue berries. 3 yr. plants		
ARISTOLOCHIA		
sipho (Dutchmans-pipe) strong vine with brown-		
ish flowers. 3 yr. plants 1.00		• • • •
BIGNONIA (Trumpet Vine)		
radicaus—orange scarlet tubular flowers	50	
BOSTON IVY (See Ampelopsis)		
CELASTRUS		
scandens (Bittersweet) strong vine with scarlet		
berries in fall. 2 yr. plants50		
CLEMATIS		
graveolens-small dull yellow flowers for cov-		
ering rocks and stumps		
Fragrant flowers. Sept		
Duchess of Edinburgh—large flowering, double white		
Jackmani—large flowering, violet purple60		
Mme. Veillard—large flowering. Rose60		
Ramona—large flowering. Violet blue60		• • • •
LATHYRUS (Perennial Pea)		
latifolius—rose colored flowers. July. For covering rocks or stone walls	.25	2.50
	.20	2.00
LONICERA (Honeysuckle)		
halliana-white and pale yellow sweet scented flowers	5.00	
	0.00	••••
LYCIUM chinensis (Matrimony vine) strong vine with		
purple flowers and scarlet berries in autumn .50		
PUERARIA (Kudzu Vine)		
thunbergiana—racemes of small rose purple pea		
shaped flowers in August. Very rapid grower .25		
VITIS (Flowering Grape)		
fragrant, inconspicuous flowers. June	.50	

Broad Leaved Evergreens & Ground Covers

ARCTOSTAPHYLOS	Ea.	Doz.	Per 100
uva-ursi (Bearberry) evergreen, trailing ground	i		
cover. Small pink flowers, red berries. Pot grown. 6-9 in.	.40	4.00	
CALLUNA (Heather)	.40	4.00	• • • • •
vulgaris (Scotch Heather) rosy pink flowers.			
July and August	.40	4.00	
6-9 in. spread	.60	6.00	
—alba (White Heather) white flowers. July an August. 2 ft. spread.	.α		
3-6 in. spread	.40 .60	4.00 6.00	
9-12 in. spread —aurea—yellow foliage	1.00		
3-6 in. spread	.40	4.00	
6-9 in. spread	.60 1.00	6.00	
DAPHNE			
cneorum—dwarf shrub with pink, fragrant flow	-		
ers. May-Oct. 1-3 ft. spread. 3-6 in. spread	.45	4.50	
6-9 in. spread	.60 1.00	6.00	••••
	1.00	••••	• • • •
EPIGAEA (Trailing Arbutus. Mayflower) repens—very fragrant, pale pink flowers. May.			
from 3½ in. pots	.50		
EUONYMUS			
radicans—2 year plantsradicans kewensis (Baby Wintercreeper) low	.35	3.50	
evergreen vine. Strong 2-yr. plants	.50		
-variegata—green and white leaves. Strong 2 yr. plants	.50		
radicans vegetus (Big leaf Winter creeper) 2 yr. plants	.35	3.50	
HEATHER see Calluna			
LEDUM			
groenlandicum—small native evergreen shrub,			
heads of white flowers from 2¼ in. pots	.40		• • • •
MAYFLOWER see Epigaea			
PACHISTIMA			
canbyi—low evergreen shrub growing to 6-10 in high.			
3-6 in. spread	.50	5.00	
6-9 in. spread	.85	8.50	• • • •

PACHYSANDRA Ea.	Doz.	Per 100
terminalis (Japanese pachysandra) white flowers. May. Grows in shade. Good ground cover. Strong plants	2.50	
RHODODENDRON		
catawbiense—(hybrids) magenta, 18-24 in 3.00		
VINCA (Periwinkle)		
minor-trailing evergreen ground cover with		
lilac blue flowers. June	2.50	

Coniferous Evergreens and Shrubs

CHAMAECYPARIS (Retinospora)	Doz.	Per 100
pisifera (Sawara Retinospora) 40-100 ft. 18-24 in		
24-30 in		
pisifera plumosa (Plume Retinospora) 12-20 ft.		
15-18 in		
HEMLOCK—see Tsuga		
JUNIPERUS (Juniper)		
communis var. hibernica (Iris Juniper) 12-20		
ft. Cylindrical habit. 18 in 1.00		
communis suecica (Swedish Juniper) 15-40 ft.		
Columnar habit. 24-30 in 2.00	• • • •	• • • •
communis upright. Hardy, upright Juniper.		
2-3 ft	• • • •	• • • •
3 ft		
depressa plumosa—almost prostrate growth.	• • • • • • • • • • • • • • • • • • • •	
Foliage turns bronze in autumn. 15-18 in 2.00		
horizontalis—Bar Harbour. Creeping Juniper.		
Bluish green foliage. 18-24 in 1.75		
sabina. Spreading growth. 18 in 2.00		
virginiana (Red Cedar) 30-100 ft.		
18-24 in 1.00	• • • •	• • • •
2-3 ft	• • • •	• • • •
virginiana tripartita. 12-16 m. spread 1.13	• • • •	• • • •
PICEA (Spruce)		
pungens (Green Colorado Spruce) 80-100 ft.		
12-15 in		
pungens glauca (Blue Colorado Spruce) 80-100		
ft. 12-15 in	• • • •	• • • •
PINUS (Pine)		
montana mughus (Mugho or Dwarf Mountain		
Pine) Height variable.		
12-18 in. spread 1.75		• • • •
18-24 in. spread	• • • •	• • • •
24-30 in. spread 4.00	• • • •	• • • •
nigra (Austrian Pine) 40-100 ft. 2-3 ft 2.50	• • • •	• • • •
RETINOSPORA—see Chamaecyparis		
SPRINE Diago		
SPRUCE—see Picea		

THUJA (Arborvitae) Doz. Per 100 occidentalis globosa compactum (Globe Arborvitae) Dwarf form for rockeries. 15-18 in... 1.50 occidentalis (American Arborvitae) 60 ft. occidentalis pyramidalis (Pyramid Arborvitae) •••• occidentalis wareana (Siberian Arborvitae Broad pyramidal growth. 15-18 in. 1.50 TSUGA (Hemlock) canadensis (Canadian Hemlock) 40-100 ft.

We have a variety of annuals and bedding plants.

We carry Carbone pottery.

FERTILIZER

Vigoro, 5 lbs. 60c; 100 lbs.,	\$6.00
Peat Moss, per bale \$3.00.	

Fruits and Vegetables

APPLE TREES	Ea.	Doz.	Per 100
Baldwin & McIntosh—2 yrs. 5-7 ft	.75	6.00	
CHERRY TREES		,	
Black Tartarian—almost black, sweet cherries.			
2 yrs. 5-7 ft.	.75	• • • •	
Montmorency—red, sour fruit. 2 yrs. 5-7 ft. Napoleon—yellow and red, sweet fruit. 2 yrs. 5-		• • • •	• • • •
ft			
PEAR TREES			
	75		
Bartlett and Clapp's Favorite—2 yrs. 5-7 ft.	.15	• • • •	• • • •
PLUM TREES			
Bradshaw—reddish purple. 2 yrs. 5-7 ft	.75		
Yellow gage—yellow. 2 yrs. 5-7 ft	.75		
RASPBERRY PLANTS			
Cuthbert		.75	4.00
Cumber	• •	.10	4.00
STRAWBERRY PLANTS			
Howard 17—\$.50 for 25			1.25
ASPARAGUS			
Martha Washington—2 yr. plants. \$.75 for 25			1.75
The state of the s			2.10

Rock Plants

ALYSSUM SAXATILE COMPACTUM
ANEMONE PULSATILLA
SYLVESTRIS
ANTENNARIA DIOICA
AQUILEGIA ALPINUM
CANADENSIS
ARABIS ALPINUM
AUBRIETIA DELTOIDEA
CAMPANULA CARPATICA
ROTUNDIFOLIA
CERASTIUM TOMENTOSUM
CHIERANTHUS ALLIONI
DIANTHUS CAESIUS
———— DELTOIDES
— — — SUPERBUS NANUS

EPIGAEA REPENS ERYSIMUM PULCHELLUM HELIANTHEMUM MUTABILE **HEUCHERA SANGUINEA** IBERIS SEMPERVIRENS IRIS CRISTATA - - PUMILA LINARIA ALPINA MYOSOTIS NEPETA MUSSINI PAPAVER ALPINUM — — — NUDICAULE PHLOX AMOENA — — — DIVARICATA ———SUBULATA PRIMULA VULGARIS

SAPONARIA OCYMOIDES













